

CUSTOMER SPECIFICATION

		Nominal	Minimun	Maximum	Test Methods	
Thickness (µm)		52	45	55	COV-E-201	
Width (mm)	0-179	ES			COV-E-200	
	180-299	any	-3	+15		
	300-374	any	-4	+18		
	375-474	any	-5	+20		
	475-up	any	-6	+25		
	475-up	any	-8	+30		
Length (mm)	0-299	any	-5	+15	COV-E-217	
	300-499	any	-8	+20		
	500-799	any	-10	+25		
	800-up	any	-15	+30		
Width (mm)	0-99	TS			COV-E-200	
	100-179	any	-3	+3		
	180-299	any	-3	+3		
	300-350	any	-5	+5		
	351-399	any	-5	+7		
	400-499	any	-6	+17		
	500-599	any	-8	+21		
	600-699	any	-10	+25		
	700-799	any	-11	+29		
	800-899	any	-13	+34		
	900-999	any	-15	+38		
	1000-1099	any	-17	+43		
	1100-1199	any	-18	+47		
	1200-1299	any	-20	+52		
	1300-1399	any	-22	+56		
	1400-1499	any	-24	+61		
	1500-1599	any	-26	+65		
1600-1699	any	-28	+70			
1700-1800	any	-30	+74			
1700-1800	any	-32	+79			
Length (mm)	0-179	any	-3	+15	COV-E-217	
	180-299	any	-4	+18		
	300-374	any	-5	+20		
	375-474	any	-6	+25		
	475-up	any	-8	+30		
Modulus (kg/cm ²)	LD	3000	2000		COV-E-212	
	TD	2800	1800			
Elongation (%)	LD	210	100		COV-E-211	
	TD	220	110			
Tensile (kg/cm ²)	LD	700	470		COV-E-211	
	TD	730	500			
Shrink (%) at 85°C	LD	35	25		COV-E-209	
	TD	40	30			
Haze (%)				5	COV-E-340	
Gloss (g.u.)			100		COV-E-341	
O ₂ (cm ³ / m ² ,24h,bar)	at 23°C, 0% RH	175		250	COV-E-342	
CO ₂ (cm ³ / m ² ,24h,bar)	at 23°C, 0% RH			1200	COV-E-343	
Tubing for Loaders	width (mm)	any	the sames as for ES Bags		COV-E-200	
	length (mm)	any	-0	+20		
	tubing splices			3		
	roll edge stepping (roll width)	0-374		0		+10
		375-up		0		+14
	recommended storage period (months)	plain printed				12 months 6 months
TRANSPORTATION and STORAGE						
Recommended temperature			2°C	25 °C		
Recommended RH				80%		
Recommended storage period				12 months		
NOTE						
All statements or recommendations are based on data knowledge considered to be true and accurate at the time of printing but should be verify by the user. Since the condition of use are beyond our control we do not warrant the completeness or suitability for any intended purpose of any statement or recommendation, or the result to be obtained. Please read all the statements or recommendations in conjunction with our conditions of sale including those limiting warranties and remedies which apply to all goods and services by us. National or local legal requirements relating to health safety at work and the protection of the environment shall be applicable in all cases.						

VERSION: n° 9

DATE: 22-2-2023

ISSUED BY:



Małgorzata Behague
Customer Technical Documentation Administrator

APPROVED BY:



Andrzej Baran
Executive Director Quality Europe